


3-1985

1984 (Twenty-Seventh) Fall Occurrence Report

Follow this and additional works at: <http://digitalcommons.unl.edu/nebbirdrev>

 Part of the [Ornithology Commons](#), [Poultry or Avian Science Commons](#), and the [Zoology Commons](#)

"1984 (Twenty-Seventh) Fall Occurrence Report" (1985). *Nebraska Bird Review*. 933.
<http://digitalcommons.unl.edu/nebbirdrev/933>

This Article is brought to you for free and open access by the Nebraska Ornithologists' Union at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Nebraska Bird Review by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

1984 (TWENTY-SEVENTH) FALL OCCURRENCE REPORT

Two hundred seventy-eight species (plus the possibility that the *Empidonax* species was not one listed) from twelve locations are listed in this report. Comparable figures for previous years are 262 species from 10 locations in 1983, 269 species from 10 localities in 1982, and 277 species from 14 locations in 1981.

The information is presented in a rough west (left) to east (right) order, with locations of about the same longitude listed with the northernmost first. Two dates indicate the first and last records for the period. The symbols are;

Jl, Au, Sp, Ot, No, and Dm for the months.

b in X column for observations made in Buffalo Co.

c in X column for observations made in both Kearney and Phelps counties.

f in X column for observations made in Phelps Co.

k in X column for observation made in Kearney Co.

P to indicate a species which is present all of the year, although the same individuals may not be present during the whole year, and the numbers may vary greatly.

(p) for probable permanent residents for which few or no records were made this year.

S - to indicate a species which arrived before 1 July and was reported on the Spring Occurrence Report.

(s) - to indicate a species which probably arrived before 1 July but for which no record was made before 1 July.

S - W to indicate much the same thing as P, but where the situation is not always the case.

- W to indicate a species which remained after 31 December (but the lack of such an indication does not necessarily mean the species did not remain).

X as a column heading for observations in Buffalo, Kearney, and/or Phelps counties. See comments under Buffalo.

x when the exact date in a month is not known.

* to indicate that there are comments in the text.

The reporting locations, contributors (to the extent known) and special comments are:

Adams, Hastings, 74 + (12) species, Miss Bernice Welch, reporter, Vlasta Butler, Elsie Helzer, Esther Kennedy, Dorothy Marsh, Tanya Bray, Babs and Loren Padelford, and Ross Silcock. Mrs. Helzer and Miss Welch visited a prairie dog colony where they usually see Burrowing Owls, but didn't find any.

Boone, Albion, 118 species, Wayne J. Mollhoff, reporter. The Goshawk apparently is the immature male, shot inside a chicken coop, that he prepared a study skin of. Turkeys are "apparently extirpated", Bobwhite numbers are way down, and the Wood-Pewee was not recorded before 1 July.

Buffalo, 39 species for the column, 2 for Buffalo Co. alone. These are observations made 27 and 28 October by Tanya Bray, Babs and Loren Padelford, and Ross Silcock, reported by the Padelfords.

Dakota, South Sioux City, 132 + (2) species, Bill Huser, reporter, Brad and Marla Grier, Bob Livermore, Bob Nickolson, Jerry Probst, and Dale Stone.

Douglas (and Sarpy), Omaha and Bellevue, 215 species plus the possibility that one of the Dowitcher species was a Long-billed, and that the Empidonax species was not a Least, Tanya Bray, R. G. Cortelyou, Ruth C. Green, Ray Korpi, Jim and Sandra Kovanda, and Babs and Loren Padelford, reporters, Joe Burkey, Russ Benedict, Clyde and Emma Johnson, Alice Rushton. A Common Loon was seen at Beaver Lake, in Cass Co., 17 September. On 2 July there were 15 mature Little Blue Herons in a flooded field east of La Platte. On 1 and 2 August there were 60 Cattle Egrets there, and by 15 August their number had increased to about 300. The Mississippi Kite was seen on Harwell Road, just west of Freeman Drive, in Bellevue, by Alan and Betty Grenon, with the sun to their backs. The bird was first seen in flight, but landed in a dead tree-top, where it remained for several minutes, mobbed by several birds. The Grenons observed the bird with 7x50 binoculars and a 22x60 spotting scope. They observed the long narrow wings, pale gray head, darker gray back, black wing-tips and tail. There were at least 300 Pectoral Sandpipers in the flooded field east of La Platte on 1 and 2 August. The Pine Warbler was at the feeders at Fontenelle Forst Nature Center.

Hall, see Howard.

Howard (and Hall), St. Libory, 114 species, Bill Schleicher, reporter, Tanya Bales, Vera Coons, Tom Labeledz, Gary Lingle, Clara McCann, Helen Seim, George Stoppkotte, Tanya Bray, Babs and Loren Padelford, and Ross Silcock.

Kearney, see Buffalo, 23 Species in Kearney Co. alone.

Lancaster, Lincoln, 171 + (1), William C. Garthright, Ruth C. Green, Mabel B. Ott, Babs and Loren Padelford, reporters, Tanya Bray, Mark and Ed Brogie, Joe Gubanyi, Ray Korpi. The three Oldsquaws showed dark backs and white heads and necks. The male showed a larger check patch than the two females, but didn't have the dark color on the top of the head. It was presumed to be a first year bird; it did not have the distinct white flanks of the adult male, and the pintail-like extension of the tail was not present. The Tufted Titmouse was at a feeder at Bill and Bonnie Mulder's since mid-November. The Green-tailed Towhee was coming to a feeder at Bob Manning's. Jack Curran had a Common Redpoll at his feeder around the year-end.

Lincoln, North Platte, 96 + (6), Mrs. A. B. Gundlicks, reporter. Margaret Morton saw the Summer Tanager at her bird water pan. She had time to get her binoculars and determine that it was not a Cardinal, it had no crest nor any black on the face. The wings were not black. Then it flew and she didn't see it again.

McPherson, Tryon, 76 + (3) species, Mrs. Oona Bassett reporter. Mrs. Bassett left for Arizona 3 November, so no later dates are shown on the report. Sharp-tailed Grouse were coming in to the yard for corn, there were many young Soras, and Robins and Cedar Waxwings were coming in for cedar berries.

Phelps, see Buffalo., 21 species for Phelps Co. alone.

Polk, Polk, 121 + (1) species, plus the possibility that one of the Meadowlark species was an Eastern, Norris Alfred, reporter, Maurice Flick, Lennis Lind, Lee Morris, John Nyberg. Lee Morris can't remember a fall season

--- Text continued on page 17

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Common Loon	No 8	-	-	-	Ot 27	-	-	-	-	-	No 6	Sp*26 No 11
Pied-billed Grebe	Sp 29 No 10	-	Ot 13 No 7	-	-	Ot 28	Ot 14	Jl 4 Ot 28	Jl 6 Sp 9	No 3 No 17	S - Dm 31	S - Dm 1
Horned Grebe	Ot 1 Ot 27	-	-	-	-	-	-	-	-	-	Ot 30	Ot 21 No 10
Eared Grebe	Ot 1 No 10	S - Au 31	-	-	-	-	-	Ot 28	Dm 1	-	-	Ot 20
Western Grebe	Sp 29 Ot 27	Jl 24 Sp 8	Ot 24	-	-	-	-	-	-	-	-	-
American White Pelican	Sp 17 Ot 1	Jl 1 Sp 3	Sp 16	-	Ot 27	Ot 20 Ot 21	-	No 3	Sp 29	-	-	Sp 20 Ot 7
Double-crested Cormorant	Sp 29 Ot 27	-	Au 13 No 12	-	Ot 20 Ot 27	-	Ot 14	Ot 14 Ot 28	S - Dm 1	Sp 22 No 3	Ot 14 No 4	Sp 14 No 14
American Bittern	-	-	-	-	S - Jl 30	-	S - Sp 28	Au 5	-	-	-	Sp 22
Least Bittern	-	-	-	-	-	-	-	-	Jl 7 Au 25	-	S - Jl 4	S - Au 2
Great Blue Heron	P	S - Sp 5	Sp 8 No 8	X	S - Ot 27	Ot 28	S - Sp 29	S - Ot 28	S - No 4	S - - W	S - Ot 13	S - No 21
Great Egret	-	-	-	-	-	-	-	Au 26 Sp 3	-	-	-	Jl 18
Little Blue Heron	-	-	-	-	-	-	-	-	-	-	-	Jl* 2 Au 9
Cattle Egret	-	-	Au 21	-	-	-	-	-	Au 2	-	-	S - Ot 7
Green-backed Heron	-	-	Au 29	-	S - Sp 4	-	-	-	S - Sp 29	S - Sp 15	S - Sp 3	S - Ot 12
Black-crowned Night-Heron	-	S - Sp 1	S - Sp 15	-	S - Au 26	-	-	S - Sp 2	Au 18 Sp 9	-	S - Jl 4	S - Jl 19
Yellow-crowned Night-Heron	-	-	-	-	-	-	-	-	Jl 1 Au 2	-	-	-
Greater White- fronted Goose	-	-	-	X	Dm 29	Ot 28	Ot 14	No 22 Dm 2	Ot 20 Dm 16	Ot 20 No 3	-	-
Snow Goose	Ot 27 Dm 15	-	-	-	Dm 29	-	-	No 18 Dm 2	No 12	Ot 19 No 24	No 4 Dm 17	Ot 12 Dm 22
Canada Goose	Sp 29 Dm 31	Jl 24 Au 10	Au 13 No 25	X	Ot 28 Dm 29	Ot 21	-	No 3 Dm 2	P	No 3	No 4 Dm 15	Ot 20 Dm 22
Wood Duck	S - No 10	-	Sp 8 No 2	X	-	-	S - Sp 29	Jl 29 Sp 9	S Dm 1	S - No 17	S - Sp 1	S - Ot 12
Green-winged Teal	Sp 3 Ot 27	-	-	-	Au 3 Sp 20	-	Ot 14 Dm 31	Ot 28 Dm 1	Jl 12 Dm 1	-	No 4 No 22	S - No 10
American Black Duck	-	-	-	-	-	-	-	-	-	-	-	S - Au 2
Mallard	P	S - Ot 25	Sp 7 Ot 28	-	Ot 29 Dm 29	Ot 28	P	Jl 29 Dm 8	P	Au 18 - W	Ot 30 Dm 31	S - Dm 22
Northern Pintail	Ot 1 Dm 1	-	Sp 30	-	Ot 27	Ot 28	-	Au 19 Au 26	Sp 3 Dm 9	Ot 20 No 3	Dm 15	S - Ot 27
Blue-winged Teal	Sp 3 Sp 29	S - Ot x	Ot 8 No 8	-	S - Sp 10	Ot 28	S - Au 9	S - Ot 28	S - Sp 29	Sp 29	-	S - Ot 20

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Cinnamon Teal	-	-	-	-	-	-	-	-	-	-	-	Jl 12 Jl 16
Northern Shoveler	Ot 1 No 10	-	S - Ot 1	-	-	Ot 28	Ot 14	-	Jl 11 No 4	-	Ot 30 Dm 1	Ot 20 No 27
Gadwall	Sp 29 No 10	-	Sp 28	-	Ot 27	-	-	-	Ot 28 No 4	Ot 20	Ot 30 Dm 15	Ot 20 Dm 16
American Wigeon	Sp 29 Dm 1	-	Ot 11	-	Ot 27	-	Ot 14	Dm 2	Sp 3 No 12	Ot 20	No 1 No 30	Sp 22 No 29
Canvasback	Ot 1 No 10	-	-	-	-	-	-	-	-	-	Dm 17 No 29	Ot 24
Redhead	Sp 29 No 10	S - Au x	-	-	-	-	-	Au*12 Dm 2	Ot 28	-	No 18 Dm 29	Ot 24 No 29
Ring-necked Duck	Ot 1 Dm 1	Jl 4	-	-	-	-	-	-	Ot 28	-	No 1 Dm 15	Ot 24 No 6
Lesser Scaup	Ot 1 Dm 1	-	No 2	-	-	-	-	Ot 28 Dm 9	Ot 28 Dm 9	-	No 1 Dm 29	Ot 24 No 24
Oldsquaw	-	-	-	-	-	-	-	-	No 29 Dm 1	-	-	-
White-winged Scoter	-	-	-	-	-	-	-	-	Dm 1 Dm 6	-	-	Ot 28 Ot 31
Common Goldeneye	Ot 27 Dm 12	-	-	-	-	-	-	-	Dm 1	-	Dm 15 Dm 29	Ot 24
Bufflehead	Ot 27 No 10	-	-	-	-	-	-	Ot 28	Ot 28 No 12	-	Ot 30 No 22	Ot 24 No 24
Hooded Merganser	Ot 13 Dm 1	-	-	-	-	-	-	-	Ot 28 Dm 1	No 10	No 18 Dm 29	Ot 24
Common Merganser	Sp 29 Dm 15	-	-	-	-	-	-	-	Dm 1 Dm 9	No 23 Dm 8	No 24 Dm 29	Ot 31 Dm 22
Red-breasted Merganser	Ot 3 No 10	-	-	-	-	-	-	-	-	-	-	No 9
Ruddy Duck	Ot 1 Ot 27	Au 4 Sp 4	-	-	-	-	-	Jl 29 Dm 28	Jl 8 Sp 29	-	S - No 22	S - No 18
Turkey Vulture	S Sp 29	-	Au 13 Sp 25	-	Jl 10 Sp 10	-	Sp 29 Ot 13	-	-	-	S - Jl 15	S - Ot 7
Osprey	-	-	-	-	-	-	-	Ot 13	-	Sp 1 Sp 29	-	Sp 12 Ot 20
Miss. Kite	-	-	-	-	-	-	-	-	-	-	-	Au*17
Bald Eagle	Ot 27 Dm 30	-	No 8 Dm 1	-	No 10 Dm 22	-	Dm 1 Dm 31	No 4 - W	No 7 - W	No 3 - W	No 20 Dm 29	No 6 Dm 29
Northern Harrier	Jl 10 Dm 15	-	Sp 4 No 8	X	Jl 20 Dm 18	Ot 21	Ot 12 Ot 13	Au 26 - W	Ot 20 Dm 16	Sp 15 No 24	Ot 27 Dm 17	Sp 12 No 14
Sharp-shinned Hawk	-	-	-	X	-	Ot 27	Ot 14 No 3	Ot 28 No 3	-	Sp 23 Dm 27	Ot 13 Ot 27	Jl 29 No 12
Cooper's Hawk	-	-	-	-	Ot 27	-	-	No 18 - W	-	No 10 No 17	-	Sp 24
No. Goshawk	-	-	-	-	-	-	No 20	-	-	-	Dm 15	-
Red-sh. Hawk	-	-	-	-	-	-	-	-	-	-	-	Sp 15
Broad-winged Hawk	-	-	Sp 20 Ot 8	-	-	-	-	-	-	-	-	Sp 25
Swainson's Hawk	Sp 29	S - Ot 21	Jl 12 No 8	-	-	-	S - Sp 21	-	Sp 29	-	-	Sp 1 Ot 2

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Red-tailed Hawk	P	-	Ot 8 No 12	X	P	Ot 21 Ot 27	P	P	P	P	P	P
Ferruginous Hawk	Sp 29	-	-	X	-	-	Dm 21 Dm 31	-	-	-	-	-
Rough-legged Hawk	Ot 27 Dm 15	-	-	-	Sp 16 Dm 18	-	Dm 21 Dm 31	Dm 9 - W	No 4 Dm 8	No 23	-	-
Golden Eagle	P	-	-	X	Dm 22	-	Dm 21 Dm 31	-	-	-	-	Ot*23
American Kestrel	P	-	(p)	-	P	(p)	P	S - Dm 8	P	Sp 22 Dm 8	P	P
Merlin	No 24 Dm 7	-	-	-	-	-	-	-	-	-	-	Sp 22 Sp 25
Peregrine Falcon	-	-	-	-	-	-	-	-	-	-	-	Sp 18 No 6
Gyr Falcon	-	-	-	-	-	-	-	No*28	-	-	-	-
Prairie Falcon	P	-	Ot 8 Ot 17	X	Ot 26	-	-	Ot 28	Sp 29 Dm 1	-	-	-
Gray Partridge	-	-	-	-	-	-	P	-	-	-	-	-
R-n. Pheasant	P	(p)	P	-	P	(p)	P	P	P	Dm 8	P	P
Gr. Pr-Chicken	-	S - Ot 31	Ot 21	-	-	-	P	No 3	-	-	-	-
Sharp-t Grouse	(p)	(p)	-	-	-	-	-	-	-	-	-	-
Wild Turkey	P	-	-	-	P	-	*	-	-	S - No 3	-	P
No. Bobwhite	P	Jl 2	(p)	-	P	(p)	P	(p)	P	Jl 14	(p)	P
King Rail	-	-	-	-	-	-	-	-	Jl 24 Sp 9	-	-	-
Virginia Rail	-	-	-	-	-	-	-	-	Jl 14 Sp 9	-	-	Jl 16 Sp 20
Sora	-	Jl* 1 Sp 1	-	-	-	-	S - Au 8	-	S - Sp 29	-	-	Jl 14 Sp 22
Common Moorhen	-	-	-	-	-	-	-	-	Jl 6 Sp 9	-	-	-
American Coot	Sp 29 Ot 13	S - Jl 1	Au 21 Sp 30	X	Ot 27	S - Ot 28	Ot 15 Ot 18	Jl 29 Ot 20	S - Dm 9	-	Jl 1 Dm 29	S - No 11
Sandhill Crane	Ot 6 Ot 30	OT 29 Ot 30	Ot 30	X	Sp 14 Ot 27	Ot 27	-	-	No 6	-	-	-
Black-bellied Plover	-	-	-	-	-	-	-	-	-	-	Ot 13 Ot 14	Sp 22
Semipalmated Plover	-	-	-	-	-	-	-	-	Au 2	-	Au 5 Au 9	Au 1
Piping Plover	-	-	-	-	-	-	-	-	-	S - Jl 7	-	-
Killdeer	S - Sp 29	S - Sp 15	S - Ot 11	X	S - Ot 27	S - Ot 28	S - Ot 14	S - No 3	S - Dm 1	S - No 3	S - No 9	S - Dm 1
American Avocet	-	S - Au 1	-	-	-	Ot 21	-	-	-	-	-	Au 9
Greater Yellowlegs	Sp 18 Sp 29	-	-	-	-	Ot 28	-	-	Au 2 Sp 29	-	No 4	Jl 2 No 17
Yellowleg sp.	-	-	-	-	-	-	-	Au 19	-	-	-	-

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Lesser Yellowlegs	Sp 18 Sp 29	- -	Au 29 Sp 30	- -	- -	Ot 21	Jl 10 Jl 21	Jl 29 Au 26	Au 2 Sp 29	- -	Jl 26 Ot 22	S - Sp 28
Solitary Sandpiper	Sp 18 Sp 21	- -	- -	- -	- -	- -	Jl 21 Au 9	Jl 29 Au 26	Jl 29 Sp 3	Jl 7 -	Au 4 -	Jl 18 Sp 23
Willet	- Jl 23	S - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	Au 1 Au 2
Spotted Sandpiper	- -	- -	- -	- -	- -	- -	S - Jl 21	Au 19 Au 26	S Sp 29	S Sp 15	- -	S - Ot 2
Upland Sandpiper	- -	S - Jl 1	S - Jl 12	- -	S - Au 20	- -	S - Jl 20	S - Au 26	S - Sp 15	S - Jl 19	- -	Au 3
Long-billed Curlew	- -	S - Au 25	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Semipalmated Sandpiper	- -	- -	- -	- -	- -	Ot 21	- -	Au 12 Au 26	Au 2 Au 18	- -	Au 4 -	Au 1 Au 15
Least Sandpiper	- -	- -	- -	- -	- -	Ot 21 Ot 28	- -	Jl 29 Sp 3	Au 18 No 4	- -	Au 5 No 6	Au 1 Sp 23
Baird's Sandp.	Sp 29	-	-	-	-	-	-	-	-	-	Au 5	-
Pectoral Sandpiper	- -	- -	- -	- -	- -	Ot 28	- -	Au 29 Sp 3	Jl 23 Sp 3	- -	Jl 26 No 6	Jl 14 Sp 27
Dunlin	-	-	-	-	-	-	-	-	No 4	-	-	-
Stilt Sandpiper	-	-	-	-	-	-	-	Jl 29	Au 2	-	-	Jl 5 Sp 23
Short-b. Dow.	-	-	-	-	-	-	-	-	-	-	-	Au 1
Dowitcher sp.	-	-	-	-	-	Ot 28	-	Au 26	-	-	Ot 14 Ot 22	Sp 22 Ot 14
Long-billed Dowitcher	-	-	Ot 13	-	-	-	-	-	Sp 9 No 4	-	-	-
Common Snipe	-	-	-	X	-	-	-	Ot 7 No 18	Au 8 No 4	-	-	Au 1 No 2
American Woodcock	-	-	-	-	Jl 3 Au 1	-	-	-	-	-	-	-
Wilson's Phalarope	Au 21 Sp 1	Au 26 Sp 1	- -	- -	- -	Ot 21	-	-	Au 9	-	-	Au 5 Au 14
Franklin's Gull	Ot 12 Ot 13	- -	Ot 28	- -	- -	Jl 26	-	-	Sp 29 No 5	- -	- -	Jl 18 No 7
Bonaparte's Gull	-	-	-	-	-	-	-	-	No 5 Dm 8	- -	- -	Ot 21 No 4
Ring-billed Gull	Sp 23 No 20	- -	Sp 27 No 4	X -	- -	- -	No 1	Dm 2	Sp 29 Dm 9	No 3 No 10	Ot 14	Au 9 Dm 13
Calif. Gull	Ot 1	-	-	-	-	-	-	-	-	-	-	-
Herring Gull	Ot 1 Ot 13	Au 1 Au 9	- -	- -	- -	- -	- -	- -	Dm 1	- -	- -	Ot 31 No 24
Bl-l Kittiwake	-	-	-	-	-	-	-	-	Dm 1	-	-	-
Caspian Tern	-	-	-	-	-	-	-	-	Au 11	-	-	Au 11
Common Tern	Sp 29	-	-	-	-	-	-	-	-	-	-	-
Forster's Tern	-	-	-	-	-	-	-	-	-	-	S - Jl 4	Jl 4 Au 9
Least Tern	-	-	-	-	-	-	-	-	-	S - Sp 8	-	-

Nebraska Bird Review

11

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Black Tern	-	S - Jl x	-	-	-	-	-	-	Au 2	-	S - Jl 4	S - Au 9
Rock Dove	P	-	-	-	P	P	P	P	P	Sp 8 Sp 29	P	P
Mourning Dove	P	S - Ot x	S - Ot 8	X	S - Ot 27	S - Sp 18	S - Ot 14	S - - W	P	S - No 24	S - Dm 16	S - Dm 22
Black-billed Cuckoo	S - Jl 21	-	-	-	-	-	S - Jl 29	S - Au 26	S - Au 19	-	S - Au 29	S - Sp 23
Yellow-billed Cuckoo	Jl 7 Sp 29	S - Sp 1	S - Ot 14	-	S - Sp 4	S - Au 21	S - Ot 13	S - Sp 9	S - Sp 29	S - Ot 6	S - Jl 12	S - Ot 10
Common Barn-Owl	S - Sp 2	-	-	-	P	-	-	-	-	-	-	-
Eastern Screech-Owl	(p)	-	-	-	P	(p)	P	-	(p)	Dm 7 Dm 26	(p)	P
Gr. Horned Owl	P	-	(p)	X	P	(p)	P	P	P	P	P	P
Snowy Owl	No*22	-	-	-	-	-	-	Dm 29	-	-	-	-
Burrowing Owl	S - Sp 29	-	Sp 7	-	S - Au 10	-	-	-	-	-	-	-
Barred Owl	-	-	-	-	-	-	-	-	-	-	-	P
Long-eared Owl	-	-	-	-	-	-	-	-	Dm 8	-	-	-
Short-eared Owl	Ot 31 No 2	-	-	-	Sp 12	-	-	-	-	-	-	-
Northern Saw-whet Owl	-	-	-	-	-	-	-	-	-	-	-	No 3 No 7
Common Nighthawk	S - Sp 29	S - Sp 9	S - Sp 2	-	S - Sp 7	S - Sp 27	S - Ot 4	Sp 2	Jl 23 Au 9	Sp 8	S - Ot 5	S - Ot 8
Common Poorwill	S - Jl 11	-	-	-	-	-	-	-	-	-	-	-
Chimney Swift	S - Sp 11	-	-	-	S - Ot 5	S - Ot 7	S - Sp 29	S - Sp 9	S - Sp 29	S - Sp 1	S - Ot 14	S - Ot 19
Wh.-th. Swift	(s)	-	Ot 13	-	-	-	-	-	-	-	-	-
Ruby-throated Hummingbird	-	-	-	-	-	-	-	-	Au 11	-	Sp 15 Jl 4	Sp 23
Broad-tailed Hummingbird	Au 6 Au 24	-	-	-	-	-	-	-	-	-	-	-
Belted Kingfisher	P	-	P	X	S - Dm 29	(p)	S - Ot 29	S - No 25	P	P	P	S - Dm 22
Red-headed Woodpecker	Au 7 Sp 29	-	S - Sp 30	-	S - Ot 20	S - Sp 3	S - Sp 10	S*- Ot 20	S - Sp 15	S - Ot 6	S - Sp 15	S - No 4
Red-bellied Woodpecker	-	-	Sp 28 Dm 4	-	P	-	P	Dm 8	P	Jl 19 Dm 8	P	P
Yellow-bellied Sapsucker	-	-	-	-	-	-	-	-	-	-	-	Ot 17 No 4
Downy Woodp.	P	Jl 18	P	X	P	(p)	P	P	P	P	P	P
Hairy Woodp.	(p)	-	P	-	P	(p)	P	P	P	P	P	P
Northern Flicker	P	S - Sp 30	P	X	P	P	P	P	P	P	P	P
Pileated Woodp	-	-	-	-	-	-	-	-	-	-	-	Dm 7
Olive-sided Flycatcher	-	-	-	-	-	-	-	-	-	Au 18 Au 26	-	Sp 1 Sp 23

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Western Wood-Pewee	S - Sp 27	-	-	-	-	-	-	-	-	-	-	-
Eastern Wood-Pewee	-	-	-	-	-	-	Jl 1 Jl 17	-	S - Sp 21	S - Sp 29	S - Sp 7	S - Sp 24
Y-b. Flycatch.	-	-	-	-	-	-	-	-	Au 20	-	-	-
Willow Flycatcher	-	-	-	-	-	-	S - Jl 22	-	Jl 29 Au 20	-	S - Jl 12	-
Least Flycatcher	-	Au 24 Sp 10	-	-	-	Sp 24	-	-	Sp 21 Ot 19	-	-	Au 5 Sp 27
Empidonax sp.	-	-	-	-	-	-	-	-	-	Au 25 Sp 8	-	Sp 29
Eastern Phoebe	-	-	-	-	S - Au 20	-	S - Sp 29	S - Jl 4	-	S - Sp 29	Ot 13	Sp 3 Ot 21
Say's Phoebe	-	-	-	-	-	-	-	S - Au 5	-	-	-	-
Great Crested Flycatcher	-	-	-	-	S - Au 20	-	S - Jl 28	S - Au 12	Sp 9 Sp 14	S - Sp 8	S - Jl 2	S - Sp 9
Cassin's Kingb	Sp 3	-	-	-	-	-	-	-	-	-	-	-
Western Kingbird	S - Sp 29	S - Sp 1	Jl 5 Sp 10	-	S - Au 28	S - Sp 5	S - Au 9	S - Sp 9	S - Sp 9	-	S - Au 1	S - Au 12
Eastern Kingbird	S - Sp 3	S - Sp 1	S - Sp 7	-	S - Sp 30	S - Sp 9	S - Sp 12	S - Sp 9	S - Sp 9	S - Sp 8	S - Sp 1	S - Sp 23
Horned Lark	P	(p)	(p)	-	P	-	P	S - Jl 29	No 4	-	Dm 15	P
Purple Martin	-	-	-	-	S - Au 26	S - Sp 5	S - Sp 10	-	Jl 23 Au 25	-	S - Sp 1	S - Sp 19
Tree Swallow	-	-	-	-	-	Ot 31	-	Ot 13	-	-	-	Sp 28 Au 15 Ot 18
Violet-green Swallow	Jl 24 Jl 29	-	-	-	-	-	-	-	-	-	-	-
N. Rough-wing. Swallow	S - Jl 21	-	Sp 2	-	S - Au 23	Sp 9	S - Jl 28	S - Au 5	S - Au 2	S - Au 18	S - Au 1	S - Ot 12
Bank Swallow	Sp 29	-	-	-	S - Au 25	-	S - Jl 28	Au 12	S - Jl 14	S - Au 18	-	S - Sp 1
Cliff Swallow	S - Sp 29	-	Jl 12	-	S - Au 25	-	-	S - Sp 9	S - Sp 9	S - Sp 23	S - Au 1	S - Sp 23
Barn Swallow	S - Sp 29	S - Sp 7	S - Sp 27	-	S - Sp 30	Ot 1	S - Sp 22	S - Sp 2	S - Sp 29	S - Sp 23	S - Ot 17	S - Ot 8
Blue Jay	P	Sp 25 Sp 28	P	X	P	P	P	P	P	P	P	P
Pinyon Jay	No 15 Dm 30	-	-	-	-	-	-	-	-	-	-	-
B-b. Magpie	P	Jl 1	P	-	P	-	P	No 25 - W	-	Sp 29 - W	-	-
American Crow	P	-	(p)	X	P	(p)	P	P	P	P	P	P
B-c. Chickadee	P	-	P	-	P	(p)	P	P	P	P	P	P
Tufted Titmouse	-	-	-	-	-	-	-	-	No* x - W	-	-	P
Red-breasted Nuthatch	Jl 20 Dm 20	-	Sp 20 Dm 4	-	Ot 4 Dm 10	-	No 12	-	Sp 20	-	Dm 8 Dm 15	Sp 10 No 10

	Scotts Bluff	McPh.	Lin- coln	Howard X	Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
White-breasted Nuthatch	Dm 15 Dm 31	-	-	-	No 4 Dm 15	(p)	P	No 18 - W	P	P	P	P
Pygmy Nuthatch	Ot 7	-	-	-	-	-	-	-	-	-	-	-
Brown Creeper	No 14 Dm 15	Sp 1	No 10	-	No 4 Dm 30	Sp 14	Ot 29 Dm 7	-	No 7 Dm 29	Ot 20 No 3	No 19 Dm 31	Sp 26 Dm 22
Rock Wren	S - Ot 7	-	-	-	-	-	-	-	-	-	-	-
House Wren	S - Sp 3	Au 31 Sp 2	-	-	S - Au 26	Ot 6	S - Sp 29	S - Sp 9	S - Ot 22	S - Ot 6	S - Ot 13	S - Ot 3
Winter Wren	-	-	-	-	-	-	-	-	-	-	-	Ot 7 No 7
Sedge Wren	-	-	-	-	-	-	-	-	Jl 14 Sp 29	-	-	Au 2 Ot 20
Marsh Wren	-	-	-	-	-	-	-	-	No 4	-	-	Au 2 Sp 29
G-c. Kinglet	-	-	No 8	-	No 10 Dm 16	-	No 2 No 13	No 2 Dm 16	Ot 31 Dm 16	No 24	Dm 15 Dm 29	Ot 16 Dm 22
R-c. Kinglet	-	Ot 5 Ot 7	-	-	Ot 27	-	Sp 29 Ot 13	-	Sp 10 Ot 5	Sp 15 Ot 6	-	Sp 22 No 13
B-g. Gnatcatcher	-	-	-	-	-	-	-	-	-	-	-	Jl 4
Eastern Bluebird	-	-	Jl 25	-	P	-	S - Ot 14	S - No 18	S - Ot 27	Jl*19 No 3	Ot 13 Ot 30	S - No 4
Mountain Bluebird	S - Sp 29	-	Ot 24	-	-	-	-	-	-	-	-	-
Townsend's Solitaire	Sp 25 Dm 26	Ot 5 Ot 25	Dm 4	-	Ot 20 Dm 28	-	-	-	-	-	-	-
Veery	-	-	-	-	-	-	-	-	-	-	-	Sp 3
Swainson's Thrush	-	Sp 28 Ot 6	-	-	-	Ot 2	-	-	Sp 10 Ot 1	-	Sp 8	Sp 2 Sp 23
Hermit Thrush	-	Sp 28 Sp 29	-	-	-	Ot 15	-	-	-	-	-	Sp 23
Wood Thrush	-	-	-	-	-	-	-	-	-	S - Jl 14	S - Jl 10	S - Au 8
American Robin	P	S - Ot 26	S - Dm 7	X	S - No 27	S - Dm 8	S - Ot 14	S - - W	S - Dm 16	P	S - Dm 31	S - Dm 30
Gray Catbird	Jl 6 Jl 7	Sp 14 Ot 5	S - Sp 2	-	S - Sp 20	S - Au 19	S - Sp 29	S - Sp 9	S - Ot 22	S - Ot 6	S - Jl 12	S - Ot 12
Northern Mockingbird	S*- Au 16	-	Sp 6	-	S - Au 25	-	-	S - Jl 4	-	-	-	-
Brown Thrasher	S - Sp 29	Au 10 Ot 2	S - Ot 5	-	S - Sp 20	Ot 31	S - Sp 11	S - Sp 3	S - Sp 17	S - Ot 20	S - Dm 15	S - No 18
Bohemian Waxw.	Dm 31	-	-	-	-	-	-	-	-	-	-	-
Cedar Waxwing	S - Dm 29	Sp 14 Ot 4	Ot 12	-	Jl 10 No 2	Ot 28 No 6	Sp 29	Ot 20 - W	Au 2 Au 19	S - - W	Ot 13 Dm 31	S - Dm 22
Northern Shrike	Ot 20 Dm 29	-	-	X	-	-	Dm 21 Dm 31	-	No 18 Dm x	-	-	-
Shrike sp.	-	-	-	-	-	-	Ot 14	-	-	-	-	-
Loggerhead Shrike	(s)	-	Au 29 No 8	-	S - No 13	S - Au 19	S - Jl 10	Dm 30 - W	Ot 27 Dm 16	-	-	Jl 21 Au 3

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
European Starling	P	Sp 28 Ot 31	P	-	P	P	P	P	P	P	P	P
Bell's Vireo	-	-	-	-	-	-	S - Jl 15	-	S - Sp 14	S - Au 18	S - Jl 12	S - Sp 15
Solitary Vireo	-	-	-	-	-	-	-	-	Sp 14 Ot 2	Sp 22 Ot 6	-	Jl 4 Ot 17
Yellow-throat Vireo	-	-	-	-	-	-	-	-	-	-	-	Au 7 Sp 11
Warbling Vireo	Au 31	-	Sp 10	-	S - Au x	S - Au 19	S - Jl 21	-	S - Sp 21	S - Sp 15	S - Sp 2	S - Sp 11
Philadelphia Vireo	-	-	-	-	-	-	-	Au*19	-	-	-	Sp 2 Sp 24
Red-eyed Vireo	-	-	-	-	S - Au 6	-	-	-	Sp 7	S - Sp 1	-	S - Sp 24
Blue-winged W.	-	-	-	-	-	-	-	-	-	-	-	Sp 4
Golden-wing. W	-	-	-	-	-	-	-	-	Sp* 7	-	-	-
Tennessee War.	-	Ot 20	-	-	-	-	Ot 5	-	-	-	Sp 7	Sp 5 Sp 12
Orange-crowned Warbler	Sp 29 Ot 8	Sp 29 Ot 29	-	-	-	Sp 3	Sp 29 Ot 13	-	Sp 10 Ot 1	Sp 26 Ot 6	Ot 13	Sp 2 Ot 21
Nashville War.	-	-	-	-	-	-	Sp 29 Ot 5	-	Sp 7 Ot 1	Sp 8 Ot 6	Sp 12 Sp 15	Au 25 Ot 21
Northern Parula	-	-	-	-	-	-	-	-	-	-	-	S - Sp 16
Yellow Warbler	S - Jl 21	-	-	-	S - Au 20	Sp 3	S - Jl 21	S - Au 5	S - Au 26	S - Au 18	S - Jl 30	S - Jl 3
Chestnut-sided Warbler	-	-	-	-	-	-	-	-	Sp 14	-	-	Sp 8 Sp 10
Magnolia Warbler	-	-	-	-	-	-	-	-	-	-	-	Sp 4 Sp 9
Bl-th. Bl. W.	-	Au 31	-	-	-	-	-	-	-	-	-	-
Yellow-rumped Warbler	Sp 29 Ot 13	-	-	X	Ot 25	Ot 15	Ot 13 Ot 14	Ot 20	Sp 29 Ot 10	Sp 29 No 3	Ot 13 Ot 27	Sp 12 Dm 22
Black-throated Green Warbler	-	-	-	-	-	-	-	-	Ot 11	-	-	Sp 4 Ot 10
Blackburnian Warbler	-	-	-	-	-	-	-	-	Sp 14	-	-	Au 30 Sp 10
Yellow-thr. Warbler	-	-	-	-	-	-	-	-	-	-	-	Sp 5 Sp 9
Pine Warbler	-	-	-	-	-	-	-	-	-	-	Sp 7	Dm*10 Dm 15
Bay-breasted Warbler	-	-	-	-	-	-	-	-	-	-	-	Sp 2 Sp 11
Blackpoll Warb.	-	-	-	-	-	-	-	-	Sp 28	-	-	Ot 7
Cerulean Warb.	-	-	-	-	-	-	-	-	-	-	-	Jl 4
Black-and-wh. Warbler	-	Sp 1 Sp 10	-	-	-	-	-	-	Sp 7	Sp 8	-	Sp 2 Sp 24
Am. Redstart	-	Au 24 Sp 12	-	-	-	-	-	-	Sp 7 Sp 14	Sp 8	-	S - Sp 23

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Prothonotary Warbler	-	-	-	-	-	-	-	-	-	-	-	S - Sp 10
Ovenbird	-	Au 24 Sp 20	-	-	-	-	-	-	Jl 30 Sp 2	-	-	S - Sp 11
Northern Waterthrush	-	-	-	-	-	-	-	-	-	-	-	Sp 10 Ot 20
La. Waterth.	-	-	-	-	-	-	-	-	-	-	-	Au 25
Kentucky Warbler	-	-	-	-	-	-	-	-	-	-	-	Sp 1 Sp 2
Conn. Warbler	-	-	-	-	-	-	-	-	-	-	Sp 7	-
Mourning Warbler	-	-	-	-	-	-	Ot 5	-	Sp 20 Sp 21	Sp 8	-	Sp 4 Sp 9
Common Yellowthroat	S - Jl 21	-	S - Jl 26	-	S - Au 20	S - Ot 15	S - Ot 13	S - Au 5	S - Ot 2	S - Sp 23	S - Jl 3	S - Ot 6
Wilson's Warbler	Au 28 Sp 29	Au 24 Sp 10	-	-	-	-	-	Au 26 Sp 7	Sp 7 Ot 2	Sp 8	Sp 7	Au 27 Sp 23
Canada Warblere	-	-	-	-	-	-	-	-	-	-	-	Sp 2 Sp 12
Yellow-breast. Chat	S - Sp 28	Au 24 Sp 1	-	-	S - Au 5	-	-	-	-	-	-	-
Summer Tanag.	-	-	Sp*19	-	-	-	-	-	-	-	-	-
Scarlet Tanager	-	-	-	-	S - Au 1	-	-	-	-	-	-	S - Ot 6
Western Tanager	Sp 5 Sp 7	-	-	-	-	-	-	-	-	-	-	-
Northern Cardinal	-	Au 24 Ot 24	P	-	P	P	P	P	P	P	P	P
Rose-breasted Grosbeak	-	-	-	-	S - Au 15	Jl 26 Au 15	S - Sp 2	S - Jl 29	S - Ot 29	S - Au 18	S - Jl 15	S - Sp 30
Black-headed Grosbeak	S - Jl 21	-	-	-	-	-	-	-	-	-	-	-
Blue Grosbeak	S - Au 30	-	Jl 12	-	-	-	Au 9	S - Jl 4	Jl 21 Au 2	-	S - Jl 2	S - Au 21
Lazuli Bunting	S - Jl 21	-	-	-	-	-	-	-	-	-	-	-
Indigo Bunting	(s) - Jl 21	-	-	-	S - Au 10	-	S - Au 11	S - Au 26	S - Jl 30	S - Jl 19	S - Jl 12	S - Ot 22
Dickcissel	-	-	S - Sp 20	-	S - Au 15	S - Au 30	S - Au 9	S - Au 26	S*- Sp 15	S - Jl 19	S - Au 12	S - Sp 23
Green-tailed Towhee	-	-	-	-	-	-	-	-	No 1 - W	-	-	-
Rufous-sided Towhee	S - Sp 29	Sp 18 Ot 24	Sp 28 Ot 3	-	S - Ot 20	Sp 29 Dm 30	S - Ot 26	Ot 20	Sp 29 Ot 23	S - Ot 27	S - Ot 13	S - Dm 8
Am. Tree Sparrow	Sp 29 Dm 30	Ot 21	Ot 19	X	Ot 20 Dm 18	-	Ot 26 Dm 31	Ot 7 - W	Ot 20 Dm 29	No 1 Dm 1	Ot 27 Dm 31	Ot 28 - W
Chipping Sparrow	S - Sp 29	Au 25 No 8	Sp 8 No 8	-	S - Au 25	Ot 31	S - Ot 5	Jl 29 No 25	Au 2 Sp 9	S - Jl 14	S - Jl 15	S - Sp 30
Clay-color. Sp	-	Au 31	-	-	-	Ot 31	Sp 29	Ot 7	-	-	-	-
Field Sparrow	-	Ot 25	-	-	S - Au 12	Ot 31	S - Jl 15	Sp 9	S - Ot 2	S - Au 25	S - Ot 13	S - Ot 20

	Scotts Bluff	McPh.	Lin- coln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Vesper Sparrow	Sp 18 Dm 15	Jl 16 Ot 4	Sp 25 Ot 8	-	-	-	-	Ot 7 Ot 28	Ot 10 Ot 27	-	-	Sp 29
Lark Sparrow	S - Sp 1	S - Sp 1	Jl 5 Sp 30	-	S - Au 26	-	S - Au 11	-	-	Sp 1	S - Jl 2	Jl 8
Lark Bunting	S - Sp 3	S - Jl 1	Au 29 Jl 1	-	S - Au 10	-	S - Jl 28	-	-	-	-	-
Savannah Sparrow	-	-	-	X	-	-	-	Ot 7 Ot 20	-	-	-	Sp 22 Ot 20
Grasshopper Sparrow	-	-	Jl 26	-	S - Au 8	-	S - Jl 29	Jl 29 Sp 2	S - Au 19	S - Au 26	S - Jl 12	Au 1
Le Conte's Sp.	-	-	-	-	Ot 12	-	-	-	Ot 21	-	-	Ot 20
Fox Sparrow	-	-	-	-	-	-	-	-	No 4 No 7	Sp 29 No 3	Ot 27 No 1	Ot 20 Ot 27
Song Sparrow	Sp 29	-	Ot 22	X	Jl 3 Ot 27	-	P	Ot 20 No 25	Au 2 No 18	S - Dm 8	S -	S - Dm 18
Lincoln's Sparrow	Sp 29	-	-	-	-	-	Sp 28 Ot 13	Ot 28	Sp 29 Ot 15	Sp 22 Ot 6	Ot 13	Sp 15 Ot 27
Swamp Sparrow	-	-	-	X	-	-	S - Jl 21	-	-	Dm 8	-	Sp 29 Ot 20
White-throated Sparrow	Sp 27 Ot 21	Sp 16 Ot 21	Ot 19	X	Dm 4 Dm 28	-	Ot 13 Ot 26	Dm 25	Sp 26 No 4	Sp 29 No 17	Ot 13 Dm 15	Sp 27 No 7
White-crowned Sparrow	Sp 13 Dm 15	Sp 16 Ot 21	-	X	No 6 Dm 20	-	Sp 29 Ot 26	Ot 14 Dm 25	Sp 29 No 4	Ot 6 Ot 20	-	Ot 20
Harris' Sparrow	No 10 Dm 16	Ot 13 Ot 30	No 4	X	No 10 Dm 18	Ot 28 Dm 31	Ot 13 Dm 31	Ot 14 - W	Sp 29 Dm 31	Sp 29 Dm 1	Ot 13 Dm 15	Sp 6 Dm 28
Dark-eyed Junco	Sp 13 Dm 31	Ot 4 Ot 31	No 4 Dm 7	-	Sp 30 Dm 31	Ot 21 Dm 31	Ot 14 Dm 31	Ot 14 - W	Ot 10 Dm 31	Ot 6 - W	Ot 13 Dm 31	Sp 28 - W
Snow Bunting	-	-	-	-	-	-	-	-	Dm 1 Dm 23	-	-	-
Bobolink	S - Jl 11	-	S - Jl 5	-	S - Au 20	-	S - Jl 18	-	S - Jl 14	-	-	S - Au 21
Red-winged Blackbird	P No 3	S - No 3	P	X	S - Ot 27	S - Sp 14	P	S - Dm 30	S - Dm 16	S - Dm 8	S - Dm 29	S - Dm 31
Eastern Meadowlark	-	-	-	-	S - Au 10	Sp 17	-	-	S - Au 2	-	-	S - Dm 8
Meadowlark Sp.	-	-	-	-	-	-	-	P	P	-	-	P
Western Meadowlark	P Sp 30	S - Sp 30	P	X	S - Dm 15	-	S - Ot 26	Au 26 Ot 20	S - Dm 18	S - Ot 20	Au 1	S - Au 21
Yellow-headed Blackbird	S - Sp 29	S - Ot 20	Au 21 Sp 18	-	(s)	-	S - Jl 18	Jl 29 Ot 20	S - No 4	-	S - Sp 1	S - Au 21
Rusty Blackbird	-	-	-	-	-	-	-	-	-	-	No 4	No 6 Dm 18
Brewer's Blackbird	Sp 29	-	Ot 12 Ot 24	X	-	-	-	-	-	-	-	-
Great-tailed Grackle	-	-	-	-	S - Au 19	S - Jl 26	-	-	S - No 4	-	-	-
Common Grackle	S - Sp 29	S - Ot 20	Ot 8	X	S - No 19	S - Dm 17	S - Ot 14	S - No 18	S - Sp 29	S - No 24	S - Dm 29	S - Dm 18
Brown-headed Cowbird	S - Sp 29	-	S - Au 29	X	S - Au 28	S - Sp 3	S - Au 21	S - Dm 8	S - Au 22	S - Jl 19	S - Au 1	S - No 17

	Scotts Bluff	McPh.	Lincoln	X	Howard Hall	Adams	Boone	Polk	Lan- caster	Saun- ders	Da- kota	Doug- Sarpy
Orchard Oriole	S - Au 7	S - Sp 1	-	-	S - Au 26	S - Jl 28	S - Au 11	S - Jl 29	S - Jl 29	S - Au 18	S - Jl 1	S - Au 3
Northern Oriole	S - Au 27	Au 21	S - Sp 10	-	S - Au 26	S - Sp 3	S - Jl 21	S - Au 19	S - Au 26	S - Sp 3	S - Sp 1	S - Sp 8
Pine Grosbeak	-	-	-	-	-	-	-	-	Dm 16	-	-	No 6
Purple Finch	-	-	-	-	-	-	-	-	-	-	Dm 15	Dm 22
House Finch	P	-	P	-	Ot 29	P	-	-	-	-	-	-
Red Crossbill	S - Sp 2	-	-	-	-	-	-	-	-	-	-	Ot 10 No 18
White-winged Crossbill	Dm 10	-	No 24	-	-	-	No 12 No 15	-	-	-	-	No 10 No 12
Common Redpoll	Dm 15	-	-	-	-	-	-	-	*	-	Dm 8	No 27 Dm 18
Pine Siskin	P	-	Ot 8 Ot 19	X	-	Ot 28 Dm 31	Ot 13 Dm 31	Au 26 No 18	Dm 3	-	No 19 Dm 31	Ot 21 Dm 31
American Goldfinch	P	S - Sp 16	Jl 5 Dm 7	X	P	P	P	P	P	P	P	P
Evening Grosbeak	-	-	-	-	-	-	-	-	-	-	-	No 30 Dm 30
House Sparrow	P	P	P	-	P	P	P	P	P	P	P	P

--- Text continued from page 6

when he had seen so many geese. There is a gap in observations of Redheads from 3 September to 2 December. Lee Morris wrote: "On 28 November I had my first look at a Gyrfalcon. It was one of those occasions when everything seems to work out just right. I was traveling a dirt road adjacent to one our fields, at a speed of maybe 30 mph, beside a dense row of cedar trees, when a Great Horned Owl flew out just ahead of me. It was clutching something in its talons. As I was trying to see what the Owl's prey was, the Gyrfalcon burst out almost beside me and seemed to be following the Owl. It probably wasn't more than 30 feet from me for some time. It seemed so intent on the Owl and its prey that I'm not sure it realized I was there. It had very definite falcon wings and shape, and was very uniformly gray. It was considerably larger than the Prairie Falcons that frequent this area every winter. After following the Owl for a considerable distance it circled back past me and flew low and fast to a grove of trees about half a mile away. Since we had thousands of geese and ducks in the immediate area at the time and the hunting season was open, it probably was finding lots of easy prey among the wounded birds. I have seen four Prairie Falcons so far this season (10 December) and the Rough-legged Hawks are showing up in small numbers. I have also seen a few Bald Eagles." An immature Red-headed Woodpecker was coming to Swede Lind's feeder at the end of the year. Mr. Alfred mentioned seeing hundreds of Crows 25 November. The Philadelphia Vireo was identified on the basis that it was a vireo, but not a Warbling, Bell's, nor Red-eyed.

Sarpy, see Douglas.

Saunders, Morse Bluff, 111 species, Rev. T. A. Hoffman, reporter. In addition to his usual area, the report includes birds observed 20 October on an Audubon field trip to Dr. Gilbert's farm near Cedar Bluff. The two dates for the Eastern Bluebird are the only times it was observed in the area.

Scotts Bluff, Gering, 145 + (3) species, Alice Kenitz, reporter, Mary Ann Banghart, Lydia Bolz, Joyce Brashear, Sherry McCoy. Ms. McCoy was at the North Platte NWR, taking a census for the US Fish and Wildlife Service, and found a flock of California Gulls. Most of the them were seen at Lake Minatare. The Snowy Owl, an immature bird, was seen about 7 miles southwest of Melbeta. Mr. Kenitz saw it first and came home to get Mrs. Kenitz. It was still there when they got back, sitting on a power pole. They approached it slowly in the pickup and got quite close until it flew around

them and put on another pole behind them. They couldn't stay to watch it because Mrs. Kenitz had pies in the oven. They have been past that area many times since without seeing the bird. Later they learned that a man in Gering saw a large owl that he thought was a Snowy Owl two different evenings. He couldn't remember the dates, but it probably was within a week of when they saw it. The Mockingbirds nested in a canyon on the west edge of Gering, and raised four young. This is the first confirmed Mockingbird nesting in the county.